Inspection Output (IOR)

Generated on 2018.September.12 15:31

Inspection Information

Inspection Name Petrogas OQ
Status PLANNED
Start Year 2018
System Type HL
Protocol Set ID HL.2018.01

Operator(s) PETROGAS WEST, LLC (39663) Lead Anthony Dorrough Supervisor Joe Subsits Director Sean Mayo Plan Submitted 08/02/2018 Plan Approval 08/07/2018 by Joe Subsits All Activity Start 08/08/2018 All Activity End 08/09/2018 Inspection Submitted --Inspection Approval --

Scope (Assets)

#	Short Label	Long Label	Asset Type	Asset IDs	Excluded Topics	Planned	Required	Total Inspected	Required % Complete
1	. 86236 (1580)	Petrogas	unit	86236	Offshore GOM Crosses Nav. CO2 Reg Rural Gather Rural Low Stress Abandoned	63	63	63	100.0%

a. Percent completion excludes unanswered questions planned as "always observe".

Plans

Focus # Plan Assets Directives	Involved Groups/Subgroups	Qst Type(s)	Extent Notes
1. 86236 (1580) n/a	TQ	P, R, O, S	Detail
2. 86236 (1580) n/a	SRN.TQ-OQ, SRN.TQ-QU, SRN.TQ-QUOMCONST, SRN.TQ-TRCNTRL, SRN.TQ-TRERP, SRN.TQ-TROMCONST	P, R, O, S	Detail

Plan Implementations

										Required
Activity	SMART	Start Date	Focus	Involved		Qst			Total	%
# Name	Act#	End Date	Directives	Groups/Subgroups	Assets	Type(s)	Planned F	Required	Inspected	Complete
1. Petrogas OQ		08/08/2018	n/a	all planned questions	all	all types	63	63	63	100.0%
		08/09/2018			assets					

a. Since questions may be implemented in multiple activities, but answered only once, questions may be represented more than once in this table.

b. Percent completion excludes unanswered questions planned as "always observe".

Forms

No. Entity	Form Name	Status	Date Completed	Activity Name	Asset
1. Attendance List	New Attendance Form	COMPLETED	08/08/2018		

Results (all values, 63 results)

65 (instead of 63) results are listed due to re-presentation of questions in more than one sub-group.

SRN.TQ-OQ: TQ - Operator Qualification

1. Question Result, ID, NIC, SRN.TQ-OQ.OQPLANMOD.S, N/A (N/A)

Question Text What, if any, changes or improvements have been made to the OQ Plan since the last PHMSA OQ inspection?

Assets Covered 86236 (1580)

Result Notes No changes or improvements since last PHMSA OQ inspection.

2. Question Result, ID, NIC, SRN.TQ-OQ.OQPERSONNEL.S, N/A (N/A) References

Question Text Have there been changes in the number of personnel (both company and contractor) covered by the OQ Plan in the last 5 years?

Assets Covered 86236 (1580)

Result Notes New personnel were incorporated into the existing OQ plan, following established procedures.

3. Question Result, ID, NIC, SRN.TQ-OQ.OQREMOVAL.S, N/A (N/A) References

Question Text Have any OQ-qualified individuals (operator and contractor) been removed from performing a covered task, and what were the circumstances for the removals?

Assets Covered 86236 (1580)

Result Notes No OQ-qualified individuals were removed from performing a covered task.

SRN.TQ-QU: TQ - Qualification of Personnel - Specific Requirements

4. Question Result, ID, NIC, SRN.TO-QU.SPECREOMNTS.S, N/A (N/A) References

Question Text What processes are in place to ensure that corrosion control supervisors and pipeline controllers are competent to perform their activities?

Assets Covered 86236 (1580)

Result Notes Subject matter expert - Norton Corrosion - Reviews their credential paperwork

SRN.TQ-QUOMCONST: TQ - Qualification of Personnel - Specific Requirements (O and M Construction)

5. Question Result, ID, NA, SRN.TQ-QUOMCONST.OMSPECIFIC.S, N/A (N/A) References

Question Text What significant changes have been made in the last 5 years to the processes regarding the qualifications of individuals involved in the welding and joining of pipe?

Assets Covered 86236 (1580)

Result Notes There has been no new construction or welding repair work during the time period.

SRN.TQ-TRCNTRL: TQ - Training of Personnel - Dispatcher

6. Question Result, ID, NIC, SRN.TQ-TRCNTRL.DISPATCHER.S, N/A (N/A)

References

Question Text What changes have been made to the training requirements for dispatchers (controllers) in the last 5 years?

Assets Covered 86236 (1580)

Result Notes There were no changes made to the training requirements for dispatchers (controllers) in the time period.

SRN.TQ-TRERP: TQ - Training of Personnel - Emergency Response

7. Question Result, ID, NIC, SRN.TQ-TRERP.IMPROVE.S, N/A (N/A) References

Question Text What changes have been made in emergency response training as a result of drills and/or emergency responses in the last 5 years?

Assets Covered 86236 (1580)

Result Notes There were no changes made in emergency response training during the time period.

8. Question Result, ID, NIC, SRN.TQ-TRERP.OQEMERGRESP.S, N/A (N/A)

Question Text What changes have been made in the last 5 years to the process to ensure that emergency response personnel (operator and contractor) are qualified to perform their activities?

Assets Covered 86236 (1580)

Result Notes There were no changes made to the process during the time period.

SRN.TQ-TROMCONST: TQ - Training of Personnel - O and M Construction

9. Question Result, ID, NA, SRN.TQ-TROMCONST.IMPROVE.S, N/A (N/A) References

Question Text What changes have been made in personnel training relating to weld NDT activities and procedures in the last 5 years?

Assets Covered 86236 (1580)

Result Notes There were no changes made in personnel training relating to weld NDT activities and procedures within the time period.

TD.CP: External Corrosion - Cathodic Protection

- 10. Question Result, ID, Sat, TQ.QU.CORROSIONSUPERVISE.P, 195.402(c) (195.555, 195.505(h)) (also presented in: TQ.QU) References
 - Question Text Are supervisors required to maintain a thorough knowledge of corrosion control procedures they are responsible for, and is it verified?

Assets Covered 86236 (1580) Result Notes Verified.

11. Question Result, ID, Sat, TQ.QU.CORROSIONSUPERVISE.R, 195.589(c) (195.507(a), 195.507(b)) (also presented in: TQ.QU) References

Question Text *Is qualification of supervisors in corrosion control procedures documented?* Assets Covered 86236 (1580)

TQ.PROT9: OQ Protocol 9

12. Question Result, ID, Sat, TO.PROT9.TASKPERFORMANCE.O, 195.501(a) (195.509(a)) References

Question Text Verify the qualified individuals performed the observed covered tasks in accordance with the operator's procedures or operator approved contractor procedures.

Assets Covered 86236 (1580)

Result Notes Reviewed individuals performing selected covered tasks

13. Question Result, ID, Sat, TQ.PROT9.QUALIFICATIONSTATUS.O, 195.501(a) (195.509(a)) References

Question Text Verify the individuals performing the observed covered tasks are currently qualified to perform the covered tasks.

Assets Covered 86236 (1580)

Result Notes Reviewed individuals performing selected covered tasks

14. Question Result, ID, Sat, TQ.PROT9.AOCRECOG.O, 195.501(a) (195.509(a))

Question Text Verify the individuals performing covered tasks are cognizant of the AOCs that are applicable to the tasks observed.

Assets Covered 86236 (1580)

Result Notes Reviewed individuals performing selected covered tasks

15. Question Result, ID, Sat, TO.PROT9.VERIFYQUAL.O, 195.501(a) (195.509(a)) References

Question Text Verify the qualification records are current, and ensure the personal identification of all individuals performing covered tasks are checked, prior to task performance.

Assets Covered 86236 (1580)

Result Notes Verified.

16. Question Result, ID, Sat, TQ.PROT9.CORRECTION.O, 195.501(a) (195.509(a)) References

Question Text Have potential issues identified by the OQ plan inspection process been corrected at the operational level?

Assets Covered 86236 (1580)

TQ.OQ: Operator Qualification

17. Question Result, ID, Sat, TO.OQ.OQPLAN.P, 195.505(a) (195.501(b), 195.3(c)(B)(9)) References

Question Text *Is there an OQ plan that includes covered tasks, and the basis used for identifying covered tasks?* Assets Covered 86236 (1580)

Result Notes Verified.

18. Question Result, ID, Sat, TQ.OQ.REEVALINTERVAL.P, 195.505(g)

Question Text *Does the OQ plan establish and justify requirements for reevaluation intervals for each covered task?* Assets Covered 86236 (1580)

- 19. Question Result, ID, References Sat, TQ.OQ.NONQUALIFIED.P, 195.505(c)
 - Question Text Does the OQ plan contain provisions for non-qualified individuals to perform covered tasks while being directed and observed by a qualified individual, and are appropriate restrictions and limitations placed on such activities?

Assets Covered 86236 (1580)

20. Question Result, ID, Sat, TQ.OQ.EVALMETHOD.P, 195.505(b) (195.503, 195.509(d), 195.509(e)) References

Question Text Are evaluation methods established and documented appropriate to each covered task? Assets Covered 86236 (1580)

21. Question Result, ID, Sat, TQ.OQ.TRAINING.P, 195.505(h)

Question Text Does the operators program provide for initial qualification, retraining and reevaluation of individuals performing covered tasks?

Assets Covered 86236 (1580)

22. Question Result, ID, Sat, TO.OO.TRAINING.R, 195.507(a) (195.507(b), 195.505(h)) References

Question Text Does the operator have records for initial qualification, retraining and reevaluation of individuals performing covered tasks?

Assets Covered 86236 (1580)

23. Question Result, ID, Sat, TQ.OQ.OQPLANCONTRACTOR.P, 195.505(a) (195.505(f)) References

Question Text Does the OQ plan have a process to communicate the OQ plan requirements to contractors and ensure that contractors are following it?

Assets Covered 86236 (1580)

24. Question Result, ID, Sat, TQ.OQ.OQCONTRACTOR.P, 195.505(b) (195.505(c), 195.505(d), 195.505(e), 195.505(f)) References

Question Text Are contractor organizations or other entities that perform covered tasks qualified? Assets Covered 86236 (1580)

Result Notes Safety West Coast supplies contractor personnel and is the OQ SME (subject matter expert) Verified, provisions have been established and documented to ensure qualification program requirements are followed by individuals.

- 25. Question Result, ID, Sat, TQ.OQ.CONTRACTOREQUIV.P, 195.505(h) References
 - Question Text Does the OQ plan assure that procedures on which an OQ vendor has evaluated qualified personnel are the same or consistent with those used by the operator for employees and contractors in the field?

Assets Covered 86236 (1580)

Result Notes They use Safety West Coast - verified the operator's plan has documentation assuring the procedures are based on the same or consistent with those used by Petrogas.

26. Question Result, ID, Sat, TQ.OQ.OQCONTRACTOR.R, 195.507(a) (195.507(b)) References

Question Text Are adequate records containing the required elements maintained for contractor personnel?

Assets Covered 86236 (1580)

Result Notes Record are provided online by Safety West Coast

27. Question Result, ID, Sat, TQ.OQ.OTHERENTITY.R, 195.505(b) (195.505(c), 195.503) References

Question Text If the operator employs other entities to perform covered tasks, such as mutual assistance, are adequate records containing the required elements maintained?

Assets Covered 86236 (1580)

28. Question Result, ID, Sat, TQ.OQ.ABNORMAL.P, 195.503 (195.505(b)) References

Question Text Does the OQ plan contain requirements to assure that individuals performing covered tasks are able to recognize and react to abnormal operating conditions (AOCs)?

Assets Covered 86236 (1580)

29. Question Result, ID, Sat, TQ.OQ.ABNORMAL.R, 195.507(a) (195.507(b), 195.503) References

Question Text Do records indicate evaluation of qualified individuals for recognition and reaction to AOCs? Assets Covered 86236 (1580)

30. Question Result, ID, Sat, TQ.OQ.ABNORMAL.O, 195.503 References

Question Text Do individuals performing covered tasks have adequate knowledge to recognize and react to abnormal operating conditions (AOCs)?

Assets Covered 86236 (1580)

31. Question Result, ID, Sat, TQ.OQ.RECORDS.R, 195.507(a) (195.507(b))

References

Question Text Do records document the evaluation and gualifications of individuals performing covered tasks, and can the qualification of individuals performing covered tasks be verified?

Assets Covered 86236 (1580)

32. Question Result, ID, Sat, TQ.OQ.PERFMONITOR.P, 195.505(d) (195.505(e))

References

Question Text Does the OQ program include provisions to evaluate an individual if there is reason to believe that performance of a covered task contributed to an incident or accident as defined in Parts 192 and 195, or there is reason to believe an individual is no longer qualified to perform covered tasks?

Assets Covered 86236 (1580)

33. Question Result, ID, Sat, TQ.OQ.PERFMONITOR.R, 195.505(d) (195.505(e)) References

> Question Text Does the operator have records to demonstrate that they have evaluated individuals who may have contributed to an incident/accident while performing a covered task or where there is reason to believe that an individual may have no longer been qualified to perform a covered task?

Assets Covered 86236 (1580)

34. Question Result, ID, Sat, TQ.OQ.OQPLAN.O, 195.505(h) References

Question Text Do individuals performing covered tasks demonstrate adequate skills and knowledge?

- 35. Question Result, ID, Sat, TQ.OQ.MOC.P, 195.505(f) References
 - Question Text Does the OQ program identify how changes to procedures, tools standards and other elements used by individuals in performing covered tasks are communicated to the individuals, including contractor individuals, and how these changes are implemented in the evaluation method(s)?

Assets Covered 86236 (1580)

36. Question Result, ID, Sat, TQ.OQ.CHANGENOTIFY.P, 195.505(i) References

> Question Text Does the process require significant OQ program changes to be identified and the Administrator or State agency notified?

Assets Covered 86236 (1580)

37. Question Result, ID, Sat, TQ.OQ.CHANGERECORD.R, 195.505(i) (195.505(f)) References

> Question Text Are records maintained for changes that affect covered tasks and significant OQ plan changes? Assets Covered 86236 (1580)

Result Notes Records are kept in Revision Log.

TQ.QU: Qualification of Personnel - Specific Requirements

38. Question Result, ID, Sat, TO.QU.CORROSIONSUPERVISE.P, 195.402(c) (195.555, 195.505(h)) (also presented in: TD.CP) References

Question Text Are supervisors required to maintain a thorough knowledge of corrosion control procedures they are responsible for, and is it verified?

Assets Covered 86236 (1580) Result Notes Verified.

- 39. Question Result, ID, Sat, TQ.QU.CORROSIONSUPERVISE.R, 195.589(c) (195.507(a), 195.507(b)) (also presented in: TD.CP) References

Question Text Is qualification of supervisors in corrosion control procedures documented? Assets Covered 86236 (1580)

40. Question Result, ID, Sat, TQ.QU.CONTROLLER.P, 195.446(h) (195.505(b)) References

Question Text Does the process establish, maintain, and review controller qualifications, abilities, and performance metrics, with particular attention to response to abnormal operating conditions?

Assets Covered 86236 (1580)

41. Question Result, ID, Sat, TQ.QU.CONTROLLER.R, 195.446(h) (195.507(a), 195.507(b)) References

Question Text Is controller training and qualification documented? Assets Covered 86236 (1580)

42. Question Result, ID, Sat, TO.QU.CONTROLLER.O, 195.446(b) (195.446(c), 195.505(b)) References

Question Text Do controllers demonstrate adequate skills and knowledge? Assets Covered 86236 (1580)

TQ.QUOMCONST: Qualification of Personnel - Specific Requirements (O and M **Construction**)

43. Question Result, ID, Sat, TQ.QUOMCONST.INSPECTORQUAL.P, 195.204 References

Question Text Does the process require personnel who conduct pipe or pipeline system construction inspections to be adequately trained and qualified?

Assets Covered 86236 (1580)

Result Notes Verified. Covered by Safety West Coast

44. Question Result, ID, Sat, TQ.QUOMCONST.INSPECTORQUAL.R, 195.204 References

Question Text Do records indicate adequate qualification documentation for personnel who conduct pipe or pipeline system construction inspections? (TQ.QUOMCONST.INSPECTORQUAL.R) (detail)

Assets Covered 86236 (1580)

45. Question Result, ID, Sat, TO.QUOMCONST.INSPECTORQUAL.O, 195.204 References

Question Text Does the inspector who ensures pipeline systems are installed per requirements demonstrate adequate skills and knowledge?

Assets Covered 86236 (1580)

- 46. Question Result, ID, Sat, TQ.QUOMCONST.WELDER.P, 195.222(a) (195.222(b), Section 6 of API-1104, Section IX of ASME References Boiler & Pressure Vessel Code, 195.214(a))
 - Question Text Does the process require welders to be qualified in accordance with API-1104 or the ASME Boiler & Pressure Vessel Code?

Assets Covered 86236 (1580)

 47. Question Result, ID, Sat, TQ.QUOMCONST.WELDER.R, 195.222(a) (195.214(a), 195.222(b)) References
Question Text *Do records indicate that welders are adequately qualified?* Assets Covered 86236 (1580)

48. Question Result, ID, Sat, TO.QUOMCONST.WELDER.O, 195.222(a) (195.505(b), 195.214(a)) References

Question Text *Do welders demonstrate adequate skills and knowledge?* Assets Covered 86236 (1580)

TQ.TRCNTRL: Training of Personnel - Dispatcher

49. Question Result, ID, Sat, TQ.TRCNTRL.CNTRLTRAINING.P, 195.444 (195.446(e)) References

Question Text *Does the process require that dispatchers are trained in the recognition of CPM alarms?* Assets Covered 86236 (1580)

50. Question Result, ID, Sat, TQ.TRCNTRL.CNTRLTRAINING1130.P, 195.444 (195.505(h)) References

Question Text *Do the process require dispatcher training be provided in compliance with API-1130?* Assets Covered 86236 (1580)

51. Question Result, ID, Sat, TQ.TRCNTRL.CNTRLTRAINING.R, 195.444 (195.507(a), 195.507(b))

Question Text *Is dispatcher training and qualification documented?* Assets Covered 86236 (1580)

52. Question Result, ID, Sat, TQ.TRCNTRL.CNTRLTRAINING.O, 195.444 (195.505(b))

Question Text *Do dispatchers demonstrate adequate skills and knowledge?* Assets Covered 86236 (1580)

TQ.TRERP: Training of Personnel - Emergency Response

53. Question Result, ID, Sat, TQ.TRERP.ERTRAINING.P, 195.403(a)(1) References

> Question Text *Does emergency response training cover the emergency procedures established under 195.402?* Assets Covered 86236 (1580)

54. Question Result, ID, Sat, TO.TRERP.ERHAZTRAINING.P, 195.403(a)(2) References

Question Text Are the characteristics and hazards of the hazardous liquids or carbon dioxide transported covered in the ER training?

Assets Covered 86236 (1580)

- 55. Question Result, ID, Sat, TO.TRERP.ERCONDITIONS.P, 195.403(a)(3) References
 - Question Text Are conditions that are likely to cause emergencies, their consequences, and appropriate corrective action identified in the ER training?

Assets Covered 86236 (1580)

56. Question Result, ID, Sat, TO.TRERP.ERRELEASECONTROL.P, 195.403(a)(4) References

Question Text Are the steps necessary to control any accidental release of hazardous liquid to minimize the potential for fire, explosion, toxicity, or environmental damage identified in the ER training?

Assets Covered 86236 (1580)

57. Question Result, ID, Sat, TQ.TRERP.ERFIREPROT.P, 195.403(a)(5) References

Question Text Are the potential causes, types, sizes, and consequences of fire and appropriate use of portable fire extinguishers and other on-site fire control equipment covered in the ER training?

Assets Covered 86236 (1580)

Result Notes Verified. This information is located in the Task Profeciency Checklist - RAOC

58. Question Result, ID, Sat, TO.TRERP.ERTRAININGRECORDS.R, 195.404(c) (195.403(a))

Question Text *Is training for emergency response personnel documented?* Assets Covered 86236 (1580)

Result Notes Verified. Located in the Emergency Roll List

59. Question Result, ID, Sat, TQ.TRERP.ERTRAINING.O, 195.403(a) References

> Question Text *Do emergency response personnel demonstrate adequate skills and knowledge?* Assets Covered 86236 (1580)

60. Question Result, ID, Sat, TQ.TRERP.ERTRAININGREVIEW.P, 195.403(b) References

Question Text Does the process require review of emergency response personnel performance at the required frequency?

Assets Covered 86236 (1580)

61. Question Result, ID, Sat, TO.TRERP.ERTRAININGREVIEW.R, 195.404(c) (195.403(b)) References

Question Text *Has review of emergency response personnel performance at the required frequency been documented?* Assets Covered 86236 (1580)

62. Question Result, ID, Sat, TQ.TRERP.ERTRAININGSUPERVISE.P, 195.403(c)

Question Text Does the process require supervisors be trained on emergency response procedures for which they are responsible?

Assets Covered 86236 (1580)

63. Question Result, ID, Sat, TQ.TRERP.ERTRAININGSUPERVISE.O, 195.403(c) (195.405)

Question Text *Do emergency response supervisors demonstrate adequate skills and knowledge?* Assets Covered 86236 (1580)

TQ.TROMCONST: Training of Personnel - O and M Construction

64. Question Result, ID, Sat, TQ.TROMCONST.NDT.P, 195.234(b)(2) References

Question Text Does the process require nondestructive testing of welds (for maintenance and construction) be performed by personnel trained and qualified in procedures and in use of the testing equipment?

Assets Covered 86236 (1580)

65. Question Result, ID, Sat, TQ.TROMCONST.NDT.R, 195.234(b)(2) References

Question Text *Is training for personnel, who perform nondestructive testing of welds, documented and demonstrated?* Assets Covered 86236 (1580)

Report Parameters: Results: all

Inspection documentation, including completed protocol forms, summary reports, executive summary reports, and enforcement documentation are for internal use only by federal or state pipeline safety regulators. Some inspection documentation may contain information which the operator considers to be confidential. In addition, supplemental inspection guidance and related documents in the file library are also for internal use only by federal or state pipeline safety regulators (with the exception of documents published in the federal register, such as advisory bulletins). Do not distribute or otherwise disclose such material outside of the state or federal pipeline regulatory organizations. Requests for such information from other government organizations (including, but not limited to, NTSB, GAO, IG, or Congressional Staff) should be referred to PHMSA Headquarters Management.